







Item	Pictures	Specifications	Item	Pictures	Specifications
			K5047		Length: 98'4" (30 m) Width: 49'2" (15 m) Height: 20' (6 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 400 kg Packing: 3CBM <b>Material 2). PVC vinyl</b> Weight: 550 kg Packing: 4CBM Custom Design, Size, Colour or Logo Printing: Available
K5046		Length: 30' (9 m) Width: 20' (6 m) Height: 10'5" (3.2 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 100 kg Packing: 1CBM <b>Material 2). PVC vinyl</b> Weight: 160 kg Packing: 1.5CBM Custom Design, Size, Colour or Logo Printing: Available	K5045		Length: 30' (9 m) Width: 15' (4.5 m) Height: 9'8" (3 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 120 kg Packing: 1.5CBM <b>Material 2). PVC vinyl</b> Weight: 180 kg Packing: 2.2CBM Custom Design, Size, Colour or Logo Printing: Available
K5044		Length: 20' (6 m) Width: 20' (6 m) Height: 11'5" (3.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 70 kg Packing: 0.45CBM <b>Material 2). PVC vinyl</b> Weight: 90 kg Packing: 0.6CBM Custom Design, Size, Colour or Logo Printing: Available	K5043		Length: 13' (4 m) Width: 13' (4 m) Height: 9'8" (3 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 100 kg Packing: 1CBM <b>Material 2). PVC vinyl</b> Weight: 130 kg Packing: 1.2CBM Custom Design, Size, Colour or Logo Printing: Available
K5042		Length: 39'4" (12 m) Width: 16'4" (5 m) Height: 20' (6 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 130 kg Packing: 0.55CBM <b>Material 2). PVC vinyl</b> Weight: 160 kg Packing: 0.7CBM Custom Design, Size, Colour or Logo Printing: Available	K5041		Length: 20' (6 m) Width: 20' (6 m) Height: 15' (4.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 100 kg Packing: 0.55CBM <b>Material 2). PVC vinyl</b> Weight: 130 kg Packing: 0.7CBM Custom Design, Size, Colour or Logo Printing: Available
K5040		Length: 98' (30 m) Width: 46' (14 m) Height: 15' (7.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 400 kg Packing: 3CBM <b>Material 2). PVC vinyl</b> Weight: 500 kg Packing: 3.5CBM Custom Design, Size, Colour or Logo Printing: Available	K5039		Length: 39' (12 m) Width: 39' (12 m) Height: 26' (8 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 300 kg Packing: 2CBM <b>Material 2). PVC vinyl</b> Weight: 400 kg Packing: 2.5CBM Custom Design, Size, Colour or Logo Printing: Available
K5038		Length: 26' (8 m) Width: 26' (8 m) Height: 15' (4.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 130 kg Packing: 0.8CBM <b>Material 2). PVC vinyl</b> Weight: 160 kg Packing: 1.0CBM Custom Design, Size, Colour or Logo Printing: Available	K5037		Length: 39' (12 m) Width: 39' (12 m) Height: 16'4" (6 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 220 kg Packing: 1.6CBM <b>Material 2). PVC vinyl</b> Weight: 350 kg Packing: 2.0CBM Custom Design, Size, Colour or Logo Printing: Available
K5036		Length: 33' (10 m) Width: 33' (10 m) Height: 15' (6 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 180 kg Packing: 1.3CBM <b>Material 2). PVC vinyl</b> Weight: 230 kg Packing: 1.7CBM Custom Design, Size, Colour or Logo Printing: Available	K5035		Size 1). 16'4" (5m)L x 16'4" (5m)W x 10' (3m)H Size 2). 20' (6m)L x 20' (6m)W x 12'5" (3.8m)H Size 3). 23' (7m)L x 23' (7m)W x 13' (4m)H Size 4). 26' (8m)L x 26' (8m)W x 13' (4.5m)H Blower (CE 220v-240v/UL 110v-120v): Included Material: PVC Vinyl Custom Design, Size, Colour or Logo Printing: Available
K5034		Length: 99' (30 m) Width: 33' (10 m) Height: 23' (7 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 300 kg Packing: 1.8CBM <b>Material 2). PVC vinyl</b> Weight: 450 kg Packing: 2.5CBM Custom Design, Size, Colour or Logo Printing: Available	K5033		Length: 49'2" (15 m) Width: 33' (10 m) Height: 16'4" (5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 280 kg Packing: 1.8CBM <b>Material 2). PVC vinyl</b> Weight: 450 kg Packing: 2.5CBM Custom Design, Size, Colour or Logo Printing: Available
K5032		Length: 30' (9.1 m) Width: 30' (9.1 m) Height: 17' (5.2 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 130 kg Packing: 0.8CBM <b>Material 2). PVC vinyl</b> Weight: 180 kg Packing: 1.2CBM Custom Design, Size, Colour or Logo Printing: Available	K5031		Length: 39'4" (12 m) Width: 33' (10 m) Height: 16'4" (5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 200 kg Packing: 1.2CBM <b>Material 2). PVC vinyl</b> Weight: 350 kg Packing: 2.0CBM Custom Design, Size, Colour or Logo Printing: Available
K5030		Length: 59' (18 m) Width: 26'2" (8 m) Height: 16'4" (5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 200 kg Packing: 1.2CBM <b>Material 2). PVC vinyl</b> Weight: 320 kg Packing: 2.0CBM Custom Design, Size, Colour or Logo Printing: Available	K5029		Length: 33" (10 m) Width: 33' (10 m) Height: 16'4" (5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 150 kg Packing: 0.8CBM <b>Material 2). PVC vinyl</b> Weight: 200 kg Packing: 1.2CBM Custom Design, Size, Colour or Logo Printing: Available
K5028		Length: 16'4" (5 m) Width: 13' (4 m) Height: 10' (3 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 25 kg Packing: 0.25CBM <b>Material 2). PVC vinyl</b> Weight: 40 kg Packing: 0.35CBM Custom Design, Size, Colour or Logo Printing: Available	K5027		Length: 49'2" (15 m) Width: 39'4" (12 m) Height: 21'3" (6.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 180 kg Packing: 1.2CBM <b>Material 2). PVC vinyl</b> Weight: 230 kg Packing: 1.8CBM Custom Design, Size, Colour or Logo Printing: Available

K5026		Length: 39'4" (12 m) Width: 26' (8 m) Height: 20' (6 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 180 kg Packing: 1.2CBM <b>Material 2). PVC vinyl</b> Weight: 250 kg Packing: 1.8CBM Custom Design, Size, Colour or Logo Printing: Available	K5025		Length: 39'4" (12 m) Width: 26' (8 m) Height: 16'4" (5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 150 kg Packing: 1.0CBM <b>Material 2). PVC vinyl</b> Weight: 200 kg Packing: 1.5CBM Custom Design, Size, Colour or Logo Printing: Available
K5024		Length: 23' (7 m) Width: 23' (7 m) Height: 13' (4 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 90 kg Packing: 0.55CBM <b>Material 2). PVC vinyl</b> Weight: 120 kg Packing: 0.7CBM Custom Design, Size, Colour or Logo Printing: Available	K5023		Length: 26' (8 m) Width: 18' (5.5 m) Height: 13' (4 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 80 kg Packing: 0.6CBM <b>Material 2). PVC vinyl</b> Weight: 120 kg Packing: 0.8CBM Custom Design, Size, Colour or Logo Printing: Available
K5022		Length: 30' (9 m) Width: 30' (9 m) Height: 16'4" (5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 200 kg Packing: 1.0CBM <b>Material 2). PVC vinyl</b> Weight: 270 kg Packing: 1.3CBM Custom Design, Size, Colour or Logo Printing: Available	K5021		Length: 12' (3.6 m) Width: 12' (3.6 m) Height: 13' (4 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 35 kg Packing: 0.35CBM <b>Material 2). PVC vinyl</b> Weight: 45 kg Packing: 0.4CBM Custom Design, Size, Colour or Logo Printing: Available
K5020		Length: 52'5" (16 m) Width: 33' (10 m) Height: 26' (8 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 200 kg Packing: 1.2CBM <b>Material 2). PVC vinyl</b> Weight: 270 kg Packing: 1.8CBM Custom Design, Size, Colour or Logo Printing: Available	K5019		Length: 36' (11 m) Width: 20' (6 m) Height: 15' (4.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 80 kg Packing: 0.55CBM <b>Material 2). PVC vinyl</b> Weight: 160 kg Packing: 0.8CBM Custom Design, Size, Colour or Logo Printing: Available
K5018		Length: 98'4" (30 m) Width: 39'4" (12 m) Height: 20' (6 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 250 kg Packing: 1.8CBM <b>Material 2). PVC vinyl</b> Weight: 350 kg Packing: 2.5CBM Custom Design, Size, Colour or Logo Printing: Available	K5017		Length: 98'4" (30 m) Width: 39'4" (12 m) Height: 20' (6 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 320 kg Packing: 2.0CBM <b>Material 2). PVC vinyl</b> Weight: 550 kg Packing: 3.5CBM Custom Design, Size, Colour or Logo Printing: Available
K5016		Length: 98'4" (30 m) Width: 49'2" (15 m) Height: 23' (7 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 250 kg Packing: 1.8CBM <b>Material 2). PVC vinyl</b> Weight: 350 kg Packing: 2.5CBM Custom Design, Size, Colour or Logo Printing: Available	K5015		Length: 15' (4.5 m) Width: 15' (4.5 m) Height: 15' (4.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 45 kg Packing: 0.4CBM <b>Material 2). PVC vinyl</b> Weight: 65 kg Packing: 0.55CBM Custom Design, Size, Colour or Logo Printing: Available
K5014		Length: 131' (40 m) Width: 82' (25 m) Height: 39' (12 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 1200 kg Packing: 7.0CBM <b>Material 2). PVC vinyl</b> Weight: 1700 kg Packing: 9.5CBM Custom Design, Size, Colour or Logo Printing: Available	K5013		Length: 12' (3.6 m) Width: 12' (3.6 m) Height: 13' (4 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 40 kg Packing: 0.35CBM <b>Material 2). PVC vinyl</b> Weight: 55 kg Packing: 0.4CBM Custom Design, Size, Colour or Logo Printing: Available
K5012		Length: 33' (10 m) Width: 33' (10 m) Height: 16'4" (5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 180 kg Packing: 1.2CBM <b>Material 2). PVC vinyl</b> Weight: 250 kg Packing: 1.8CBM Custom Design, Size, Colour or Logo Printing: Available	K5011		Length: 13' (4 m) Width: 4' (1.2 m) Height: 10' (3 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 30 kg Packing: 0.25CBM <b>Material 2). PVC vinyl</b> Weight: 40 kg Packing: 0.3CBM Custom Design, Size, Colour or Logo Printing: Available
K5010		Length: 15' (4.5 m) Width: 15' (4.5 m) Height: 13' (4 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 50 kg Packing: 0.4CBM <b>Material 2). PVC vinyl</b> Weight: 75 kg Packing: 0.65CBM Custom Design, Size, Colour or Logo Printing: Available	K5009		Length: 39'4" (12 m) Width: 39'4" (12 m) Height: 20' (6 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 180 kg Packing: 1.2CBM <b>Material 2). PVC vinyl</b> Weight: 250 kg Packing: 1.8CBM Custom Design, Size, Colour or Logo Printing: Available
K5008		Length: 20' (6 m) Width: 20' (6 m) Height: 16'4" (5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 50 kg Packing: 0.45CBM <b>Material 2). PVC vinyl</b> Weight: 65 kg Packing: 0.55CBM Custom Design, Size, Colour or Logo Printing: Available	K5007		Length: 15' (4.5 m) Width: 15' (4.5 m) Height: 15' (4.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 30 kg Packing: 0.25CBM <b>Material 2). PVC vinyl</b> Weight: 45 kg Packing: 0.35CBM Custom Design, Size, Colour or Logo Printing: Available
K5006		Length: 59' (18 m) Width: 26' (8 m) Height: 18' (5.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 200 kg Packing: 1.2CBM <b>Material 2). PVC vinyl</b> Weight: 280 kg Packing: 1.8CBM Custom Design, Size, Colour or Logo Printing: Available	K5005		Length: 98'4" (30 m) Width: 50' (15 m) Height: 23' (7 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 220 kg Packing: 1.5CBM <b>Material 2). PVC vinyl</b> Weight: 300 kg Packing: 2.5CBM Custom Design, Size, Colour or Logo Printing: Available

K5004		Length: 13' (4 m) Width: 13' (4 m) Height: 10'5" (3.2 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 70 kg Packing: 0.4CBM <b>Material 2). PVC vinyl</b> Weight: 90 kg Packing: 0.5CBM Custom Design, Size, Colour or Logo Printing: Available	K5003		Length: 46' (14 m) Width: 26' (8 m) Height: 15' (4.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 200 kg Packing: 1.5CBM <b>Material 2). PVC vinyl</b> Weight: 300 kg Packing: 2.5CBM Custom Design, Size, Colour or Logo Printing: Available
K5002		Length: 125' (38 m) Width: 49'2" (15 m) Height: 31'2" (9.5 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 800 kg Packing: 6.0CBM <b>Material 2). PVC vinyl</b> Weight: 1200 kg Packing: 8.0CBM Custom Design, Size, Colour or Logo Printing: Available	K5001		Length: 131' (40 m) Width: 59' (18 m) Height: 23' (7 m) Blower (CE 220v-240v/UL 110v-120v): Included <b>Material 1). PVC tarpaulin</b> Weight: 800 kg Packing: 5.0CBM <b>Material 2). PVC vinyl</b> Weight: 1200 kg Packing: 7.0CBM Custom Design, Size, Colour or Logo Printing: Available
<p>Easy set-up and delivery. Convenient temporary outdoor building for sales, exhibition, openings, celebrations, party events, concert, wedding, election, temporary warehouse, etc.</p> <p>We are happy to provide you with concept artwork of any custom designs prior to production so you can visualize the order.</p> <ol style="list-style-type: none"> <li>1. Custom Designs available for different shape, size, colour, logo printings, etc.</li> <li>2. Material: weather-resistant durable PVC tarpaulin or PVC vinyl material, waterproof, fireproof, UV protective.</li> <li>3. Applicable temperature: -30°C—70°C</li> <li>4. Optional accessories: air blower (CE/UL/GS approved), repair kit, LED lamp, etc.</li> <li>5. Packing: inflatable packed into high-strength PVC tarpaulin bag and blower into carton</li> <li>6. MOQ: 1 pcs</li> <li>7. Shipping: by sea, by air or by express (DHL, etc.)</li> <li>8. Payment: T/T (bank wire transfer), L/C, Western Union, Money Gram, Paypal, Escrow with 30% deposit.</li> </ol> <p>Please contact for latest price with details!</p> <p>Sincerely,</p> <p>BIKI GROUP LIMITED  Address: No.135, Tongan industrial zone, Xiamen, China  Tel: 0086-592-7151833 Fax: 0086-592-7151933  Email: sales@bikidi.com  Website: <a href="http://www.bikidi.com">http://www.bikidi.com</a></p>					