

# BIKIDI INFLATABLES

Address: No.135, Tongan Area, Tongan industrial zone, Xiamen, China 361100  
Tel: 86-592-7151833 Fax: 86-592-7151933

E-mail: sales@bikidi.com

http://www.bikidi.com



Item	Pictures	Specifications	Item	Pictures	Specifications
B6050		Length: 40' (12 m) Width: 25' (7.6 m) Height: 10' (3 m) Weight: 440 Lbs. (200 kg) Packing: 1.5CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6049		Length: 20' (6 m) Width: 20' (6 m) Height: 4'9" (1.5 m) Weight: 615 Lbs. (280 kg) Packing: 3.0CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6048		Length: 70' (21.5 m) Width: 28' (8.5 m) Height: 28' (8.5 m) Weight: 950 Lbs. (432 kg) Packing: 3.5CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6047		Length: 59' (18 m) Width: 19' (5.7 m) Height: 11'5" (3.5 m) Weight: 748 Lbs. (340 kg) Packing: 2.0CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6046		Length: 39' (12 m) Width: 16'4" (5 m) Height: 16'4" (5 m) Weight: 400 Lbs. (180 kg) Packing: 0.7CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6045		Length: 20' (6 m) Width: 20' (6 m) Height: 10' (3 m) Weight: 300 Lbs. (140 kg) Packing: 1CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6044		Length: 18' (5.5 m) Width: 15' (4.5 m) Height: 10' (3 m) Weight: 175 Lbs. (80 kg) Packing: 0.55CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6043		Length: 20' (6 m) Width: 11'5" (3.5 m) Height: 13' (4 m) Weight: 260 Lbs. (120 kg) Packing: 0.6CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6042		Length: 16'4" (5 m) Width: 15'4" (4.7 m) Height: 16'4" (5 m) Weight: 175 Lbs. (80 kg) Packing: 0.55CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6041		Length: 56' (17 m) Width: 41' (12.4 m) Height: 15' (4.5 m) Weight: 1540 Lbs. (700 kg) Packing: 3CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6040		Length: 59' (18 m) Width: 33' (10 m) Height: 13' (4 m) Weight: 310 Lbs. (140 kg) Packing: 0.75CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6039		Length: 66' (20 m) Width: 33' (10 m) Height: 13' (4 m) Weight: 310 Lbs. (140 kg) Packing: 0.75CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6038		Length: 40' (12.2 m) Width: 40' (12.2 m) Height: 16'4" (5 m) Weight: 990 Lbs. (450 kg) Packing: 3.0CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6037		Length: 30' (9.2 m) Width: 30' (9.2 m) Height: 15' (4.5 m) Weight: 660 Lbs. (300 kg) Packing: 2.0CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6036		Length: 44'3" (13.5 m) Width: 44'3" (13.5 m) Height: 10'8" (3.3 m) Weight: 310 Lbs. (140 kg) Packing: 0.9CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6035		Length: 59' (18 m) Width: 18' (5.5 m) Height: 13' (4 m) Weight: 400 Lbs. (180 kg) Packing: 1.8CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6034		Length: 23' (7 m) Width: 13' (4 m) Height: 16'4" (5 m) Weight: 240 Lbs. (110 kg) Packing: 0.55CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6033		Length: 18' (5.5 m) Width: 12'5" (3.8 m) Height: 12' (3.7 m) Weight: 155 Lbs. (70 kg) Packing: 0.5CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6032		Length: 30' (9.2 m) Width: 18' (5.5 m) Height: 10' (3 m) Weight: 310 Lbs. (140 kg) Packing: 1.0CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6031		Length: 20' (6 m) Width: 12' (3.6 m) Height: 2.2' (0.65 m) Weight: 220 Lbs. (100 kg) Packing: 0.55CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6030		Height: 10' (3 m) <b>Material 1). PVC tarpaulin</b> Weight: 12KG Packing: 0.16CBM <b>Material 2). PVC vinyl</b> Weight: 18KG Packing: 0.2CBM Blower (CE 220v-240v/UL 110v-120v): Included Custom Design, Size, Colour or Logo Printing: Available	B6029		Length: 39'4" (12 m) Width: 20' (6 m) Height: 8'2" (2.5 m) Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6028		Length: 16'4" (5 m) Width: 16'4" (5 m) Height: 8'2" (2.5 m) Weight: 260 Lbs. (120 kg) Packing: 0.7CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6027		Length: 18' (5.5 m) Width: 18' (5.5 m) Height: 4'9" (1.5 m) Weight: 265 Lbs. (120 kg) Packing: 0.7CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6026		Length: 39'4" (12 m) Width: 20' (6 m) Height: 8'2" (2.5 m) Weight: 400 Lbs. (180 kg) Packing: 1.2CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6025		Length: 78'8" (24 m) Width: 39'4" (12 m) Height: 8'2" (2.5 m) Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included

B6024		Length: 98'4" (30 m) Width: 49'2" (15 m) Height: 13' (4 m) Weight: 175 Lbs. (80 kg) Packing: 1.0CBM Material: PVC tarpaulin, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6023		Length: 16'4" (5 m) Width: 16'4" (5 m) Height: 4'9" (1.5 m) Weight: 290 Lbs. (130 kg) Packing: 0.75CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6022		Length: 24' (7.3 m) Width: 21'3" (6.5 m) Height: 8'2" (2.5 m) Weight: 265 Lbs. (120 kg) Packing: 0.7CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6021		Length: 42'6" (13 m) Width: 24'6" (7.5 m) Height: 8'8" (2.7 m) Weight: 400 Lbs. (180 kg) Packing: 1.5CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6020		Length: 20' (6 m) Width: 20' (6 m) Height: 23' (7 m) Weight: 485 Lbs. (220 kg) Packing: 1.5CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6019		Length: 23' (7 m) Width: 23' (7 m) Height: 26' (8 m) Weight: 615 Lbs. (280 kg) Packing: 2.0CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6018		Length: 12' (3.6 m) Width: 10' (3 m) Height: 12' (3.6 m) Weight: 130 Lbs. (60 kg) Packing: 0.45CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6017		Length: 13' (4 m) Width: 10' (3 m) Height: 16'4" (5 m) Weight: 165 Lbs. (75 kg) Packing: 0.5CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6016		Variable speed buck& spin control Unique spring loaded body roll for a realistic feel Innovative rotating padded platform, for added safety Padded body with rubber horns Easy to transport Heavy duty construction All electric (no hydraulic oil leaks) Low maintenance with high dependability	B6015		Length: 16'4" (5 m) Width: 16'4" (5 m) Height: 10' (3 m) Weight: 240 Lbs. (110 kg) Packing: 0.6CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6014		Length: 49'2" (15 m) Width: 26'2" (8 m) Height: 18' (5.5 m) Weight: 880 Lbs. (400 kg) Packing: 2.5CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6013		Length: 42'6" (13 m) Width: 20' (6 m) Height: 18' (5.5 m) Weight: 725 Lbs. (330 kg) Packing: 2.0CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6012		Length: 18' (5.5 m) Width: 13' (4 m) Height: 23' (7 m) Weight: 330 Lbs. (150 kg) Packing: 0.8CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6011		Length: 18' (5.5 m) Width: 18' (5.5 m) Height: 24'6" (7.5 m) Weight: 350 Lbs. (160 kg) Packing: 1.0CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6010		Length: 13' (4 m) Width: 13' (4 m) Height: 6'5" (2 m) Weight: 175 Lbs. (80 kg) Packing: 0.55CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6009		Length: 39'4" (12 m) Width: 10' (3 m) Height: 10' (3 m) Weight: 310 Lbs. (140 kg) Packing: 0.75CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6008		Length: 15' (4.5 m) Width: 15' (4.5 m) Height: 3' (0.9 m) Weight: 155 Lbs. (70 kg) Packing: 0.55CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6007		Length: 15' (4.6 m) Width: 16'4" (5 m) Height: 12' (3.7 m) Weight: 155 Lbs. (70 kg) Packing: 0.45CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6006		Length: 15' (4.5 m) Width: 15' (4.5 m) Height: 15' (4.5 m) Weight: 240 Lbs. (110 kg) Packing: 0.55CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6005		Length: 12' (3.6 m) Width: 12' (3.6 m) Weight: 130 Lbs. (60 kg) Size available for adults and kids Packing: 0.8CBM Foam padded for commercial use (rentals) Including 2 sumo suits, 1 ground mat, 2 helmets& 4 gloves.
B6004		Length: 33' (10 m) Width: 10' (3 m) Height: 6'5" (2.4 m) Weight: 290 Lbs. (130 kg) Packing: 0.65CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included	B6003		Length: 39'4" (12 m) Width: 13' (4 m) Height: 15' (4.5 m) Weight: 350 Lbs. (160 kg) Packing: 0.7CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included
B6002		Height: 72" (2.2 m) Weight: 55 Lbs. (25 kg) Packing: 0.35CBM	B6001		Length: 15' (4.5 m) Width: 15' (4.5 m) Height: 13' (4.5 m) Weight: 200 Lbs. (90 kg) Packing: 0.55CBM Material: 18oz PVC vinyl, 1000D commercial quality, lead free, water proof& fire retardant Blower (CE 220v-240v/UL 110v-120v): Included

1. Custom Designs available for different shape, size, colour, logo printings, etc.
2. Material: commercial grade PVC vinyl, lead free, waterproof, fireproof, UV protective.
3. Tensile strength: Warp-2870.43N/50mm Weft-2279.06N/50mm
4. Tear strength: Warp: 562.3N Weft: 521.5N
5. Professional Machines for Cutting, Sewing and Printings.
6. We use strong threads to Double Stitch Everywhere and Quadruple Stitch for sensitive parts to ensure quality.
7. Reinforced strips at joints
8. Safe and Convenient Air Flap and Durable Zippers
9. High quality small hole netting (mesh) for safety protection.
10. Anchor and D Rings for safety concern
11. Air blowers are CE, UL and GS approved in 110v-120v or 220v-240v with various kinds of plugs.
12. Each product includes repair kit (glue and same colour PVC materials).
13. Strong packing bag and export carton for transport and reuse.
14. Shipping: by sea, by air or by express (DHL, etc.)
15. MOQ: 1 pcs
16. Payment: T/T (bank wire transfer), L/C, Western Union, Money Gram, Paypal, Escrow with 30% deposit.

Bikidi inflatable products are used mainly for:

Backward Parties

Festivals and Carnivals  
Schools and Daycares  
Churches and Youth Groups  
Corporate Picnics and Functions  
Grand Openings and Promotions

Please contact for latest price with details!

Sincerely,

BIKI GROUP LIMITED  
Address: No.135, Tongan industrial zone, Xiamen, China  
Tel: 0086-592-7151833 Fax: 0086-592-7151933  
Email: sales@bikidi.com  
Website: <http://www.bikidi.com>